

1

106

No.471/Prov-CTS(NC)/BSF/P-13-15/Peak Cap/ 40-59
Government of India
Ministry of Home Affairs,
Directorate General Border Security Force,
(Prov Dte-CTS Section)

Block No.10, CGO Complex,
Lodhi Road, New Delhi.

Dated, the 06 Jan' 2017

To,

HQ Spl DG (EC/WC)
ADG(ANO)
All Ftrs/ DIG (HQ) FHQ
BSF Academy Tekanpur
TC&S Hazaribagh/CSWT Indore

PEAK CAP FOR SOs OF BSF FOR CEREMONIAL FUNCTIONS

1. Please refer to this HQ letter No.2/366/08-P/BSF/Auth of Peak Cap for SOs/2135-66 dated 06 09.2011.
2. In view of the queries received from various firms and testing agencies regarding measurement and dimensions of Peak Cap wrt the specification circulated vide letter under reference, clarification on the issue with duly marked pictorial dimensions is enclosed herein as Appendix-A.
3. Henceforth, as approved by CA, Appendix-'A' will make part of the referred specification for future purchases of Peak Cap for SOs.
4. QRs/Specification with Appendix-'A' has been uploaded in IPP DMS Module (Prov Folder) for further necessary action please.

Encl: As above

Copy to:

1. Circular file

[Handwritten signature]
06.01.2017

(K L SAH)
DIG (CTS)

[Handwritten signature]
06/1/17

[Handwritten signature]
06/1/17

2

108

No.2/366/08-P/BSF/Auth of Peak Cap for SOs/ 2135-66
Government Of India
Ministry Of Home Affairs
Border Security Force
(Provisioning Directorate: CTS Section)

(110)

CGO Complex, Lodhi Road
Block 10, New Delhi-03

Dated, the 6th Sept' 2011

To

All Frontier's Headquarters/
All Training Institutions/
STC BSF Bangalore and
DIG (HQ) FHQ

Subject: **PEAK CAP FOR SOs OF BSF FOR CEREMONIAL
FUNCTIONS**

Please refer to our L/No. 2/366/08-P/BSF/Auth of Peak Cap to
SOs/428-740 dated 25th April, 2011 and MHA letter No.2/366/08-
P/BSF/Peak Cap/MHA/ Prov.I dated 11 April, 2011.

Please find enclosed herewith a copy of Board Proceedings of Peak
Cap alongwith Specification and coloured photographs of selected sample of
Peak Cap, for your information and further necessary action. This item may
be procured and provided to the SOs, for wearing on Ceremonial Occasions
only.

Encl: As above

(Signature)
(RAJENDRA PANDEY)
DIG (CT^s)

Copy to:

(Signature)
6/9/11

1. All Dte FHQ BSF : For info and necessary action please
2. Spl DG(East/West) : -do-
3. Circular file

BOARD PROCEEDINGS

- 1. Proceedings of : A Board of Officers
- 2. Assembled at : HQ DG BSF New Delhi
- 3. On : 09th June 2011 and 27th July 2011.
- 4. By the order of : HQ DG BSF, Prov Dte (CTS Section) O/No.2/366/08-P/BSF/Peak Cap (SOs)/926-32 dated 10th May 2011.
- 5. For the purpose of : To assess and draw the Specifications of Peak Cap to be worn by the BSF SOs.

6. **Composition of the Board :-**

- Presiding Officer : Shri V S Gehlot, Comdt, (MAC) 'G' Dte FHQ BSF
- Member 1 : Shri Mukesh Kumar, Prov Dte(Proc) FHQ BSF
- 2 : Inspr Firoz Ahmed, Prov Dte(CTS Section) FHQ BSF
- 3 : SI Prem Prakash, Prov Dte (Co-Ord Section) FHQ BSF
- 4 : ASI(Min) Kamlesh Kumar, Prov Dte (CTS Section) FHQ BSF

The board having been assembled pursuant to the order proceeds to examine the sample of Peak Caps made available by CTS Section, Prov Dte and draw Specifications of Peak Cap to be worn by the BSF SOs.

(u)

110


(TOS)


::2::


8. **Recommendation of the Board :-**


- (i) The present pattern of Peak Cap being worn by the BSF Officers could be made applicable for the SOs too.
- (ii) The suggested broad specifications of Peak Cap for the SOs are as under:-
 - (a) Made in Barathea Cloth or Cloth Terrywool stitched with silk Polyester thread.
 - (b) Peak 2.5" x 9.5"
 - (c) Complete hight Peak to top 5.5"
 - (d) Diameter 9.5" x 9.75"
 - (e) Band Patti 2.5"
 - (f) 02 Nos side button of white metal with state emblem.
 - (g) Leather Strip (width 15 mm) button to button.
 - (h) Inner side leather bend.
 - (i) Inner Cloth Polyester Saten.
 - (j) 04 Nos ripit hole in back side for ventilation.
 - (k) Clip 2.5" on top front in inner side.


9. The suggested sample of Peak Cap is attached herewith for reference.

Presiding Officer : 
 (V S Gehlot, Comdt, (MAC) 'G' Dte, FHQ BSF)


Member 1 : 
 (Mukesh Kumar, Prov Dte (Proc) FHQ BSF)


Member 2 : 
 (Inspr Firoz Ahmed, Prov Dte(CTS Section) FHQ BSF)

Member 3 : 
 (SI Prem Prakash, Prov Dte Co-Ord Section) FHQ BSF)

Member 4 : 
 (ASI(Min) Kamlesh Kumar, Prov Dte (CTS Section) FHQ BSF)


Approved/Not approved


 Inspector General(Prov)
 FHQ BSF: Prov Dte



Peak width - Measure from the midpoint on depth of the peak-to-crown seam to the outer edge of the peak.

Peak length - Measure in straight line, from the outer edge of the peak-to-crown seam to the outer edge of the peak-to-crown seam on the underside of the cap.



A to B = 9.5'
C to B = 2.5'

(8)

(11)

