F. No.L.VII-3/2012-13-Prov(R)-MHA-Prov-I _ 203/ भारत सरकार/Government of India गृह मंत्रालय/Ministry of Home Affairs पुलिस आधुनिकीकरण प्रभाग /Police Modernization Division संभरण-I डेस्क /Prov.I Desk

Jaisalmer House, 26, Man Singh Road, New Delhi, dated the og December, 2016

To

The DsG: AR, BSF, CISF, CRPF, ITBP, NSG, SSB, IB & BPR&D.

Subject: Revised QRs/Specifications and Trial Directives of Super Cop Belt with Basic Pouches and Accessories.

Sir,

The undersigned is directed to refer to the subject mentioned above and to say that the revised QRs and Trial Directives in respect of Super Cop Belt with Basic Pouches and Accessories as per Annex-I and Annex-II, respectively have been approved by the competent authority in MHA.

- 2. Henceforth, all the CAPFs should trial evaluate and procure the above item, required by them, strictly as per the laid down revised QRs and TDs of Super Cop Belt with Basic Pouches and Accessories.
- 3. Concerned CAPFs will be accountable for correctness of the QRs and Trial Directives of Super Cop Belt with Basic Pouches and Accessories.
- 4. QRs and TDs of Super Cop Belt with Pouches and Accessories issued earlier vide MHA's letter No.L.VII-3/2012-13-PROV(R)-290 dated 6.2.2014 is rescinded.

Encl: As above.

Yours faithfully,

(Ritesh Kumar)

Under Secretary to the Govt. of India

Copy forwarded for necessary action to:

SO (IT), MHA - with the request to host the Revised QRs and Trial Directives of Super Cop Belt with Basic Pouches and Accessories on official website of MHA (under the page of Organizational Set up, Police Modernization Division-Clothing items) and remove earlier QRs/Specifications of Direction Finder vide letter No.L.VII-3/2012-13-PROV(R)-290 dated 6.2.2014. Soft copy is being sent through email.

(V. Devadas)

Section Officer (Prov-I)

Copy to: DDG (Procurement), MHA

Finalization of review of QRs/Specifications of super cop belt with basic pouches & accessories

7 -	Cit	5 4 3 2 1 S
Colour	ia (e ria	Nomenclature Weight of belt Thickness Width of belt Length of belt Buckle of belt
Black / RAF print	It should be Nylon 6-6 or any advanced variant of Nylon 6-6	Approved QRs of MHA 550 gm ± 20 gms (with Accessories) Not less than 4.5 mm 2.25 inch ± 5 mm 155 cm ± 10 % Rugged plastic buckle with double locking system and easy to operate with Having tensile strength not less than 200kg. the thickness of the buckle should less than 20 mm
Black of CRPT/RAY Disruptive Pfrit	weare using a needle loom. For guidance following Nylon filament, yarns may be used for the manufacture of Nylon webbing: Particular Resultant denier of yarn Tenacity of single ply yarn, gpd Warp 840 x 3 Weft 840 Binding end 840 Binding end 840 Binding end 840 ii) Veicro for adjustment: Good quality Veicro as per length and width of belt to be tested from NITRA. iii) Inside layer of belt: Inside the belt plastic or any suitable material shall be given for stiffness (Thickness approx 1 mm) by Belt should be machine stitched with nylon thread.	Belt <260 gms (Not more than) 4.5 mm ±0.5 mm 5.5 ±0.2 cm > 155 cm (Not less than) > 188 less to operate ii) Rugged plastic buckle with locking both side & Centre. ii) Easy to operate iii) Having breaking strength not less than 150kg. iv) Thickness 18 mm ± 4mm vi) Rugged plastic loops size 6×1 cm(According to belt width) vi)Rugged plastic loops size 6×1 cm(According to belt width)

* Specification and sketch have been attached for better understanding.

R. Mary 2-17 (Dr. Deepai Dapandar) Scientist-D. 198 Sugar Canada Member 11 Montes of The state of the s

ossam Ridos Venter 5

Meaders 10

Nichier 12

Member 3

1137

DF (P(Prov& Accis) Member (2) are allowed some

Member 8

Member 1

e hairman

& Sha Dhundia)

Memi Juli

Nichaber 6

refres to earry the following items/accessories:-

Nemi (Sita)			ω		2					b) A
(Situran) A C	Glove pouch		Extendable Baton pouch	pouch	Radio Walkie-talkie				Pistol Holster	Accessories:- N
Alember 11 Members 10	th Couling flap must		Size 15x5x5 cms ± 10 % flap nust have lock system		set Radio set Walkie-talkie pouch with stretchable elastic flap/band			djustment have lock	Universal Pistol H	Multipurpose belt with provision for pouches to carry the following items/accessories:-
A Section of the sect	t have lock		10 % Closing system		tie pouch with I			sing	Holster with	rovision for p
Negii Couch Ti sai Cairer (Niasquadh) BPR&D Nember 9	Glove pouch Made of Nylon 6-6 Size- 15 × 10 × 4 cms Weight - 50 gms + 05 gms Glove pouch to be well fitted w	Width - 07 cm. Circumference - 15 cm ± 1 cm, Closing/opening strap size 27cm Weight - 50 gms ± 05 gms Extendable Baron pouch to be	Extendable baton pouch Made Length - 28 cm (Upper side 15.	<u>Meight</u> - 35 gms ± 05 gms. <u>Closing/Opening</u> flap fitted with Male and female as per requirement Radio set walkie-talkie pouch to	Radio set Walkie-ta Length – 15 cms., wid	1 cms outer line of nylon strip 3 cms Nylon strip 6-6 should Weight - 70 gms ± 10 gms Pistol Holstei to be well fitt	Nylon strap/Hap closing/opening button at end. Velcro size 7x5 cms fitted on the felt loop size 11 cms fitted on the	locking system:: Made of Nylon 6-6. Length -19 cms at right side and 12 cm at Width -13cms Open on Top and 5 cm at	Universal Pistol Holster with	ourches to carry the
Kenner Dhundier Neinver L Kenner L Kenner L Kenner L Kas.Dangresqu e de NSG Member 8	if Nylon 6-6 IS yans well fitted with super cop belt.	`< ×	ouch Made of Nylon 6-6 er side 15.5 cm open and	Space for antenna at the top of the right side of the pouch <u>Weight</u> - 35 gms ± 05 gms. Closing/Opening flap fitted with superior quality of velo Male and female as per requirement of pouch) Radio set walkic-talkie pouch to be well fitted with s	Radio set Walkie-talkie pouch made of Nylon 6-6 Length - 15 cms., width - 7 cms, breadth - 6 cms.	1 cms outer line of nylon strip 3 cms Nylon strip 6-6 should be fitted at top and lower portion Weight - 70 gms ± 10 gms Pistol Holster to be well fitted with super cop belt.			olster with height adj	following items/accessor
RAI HOR	ST T	x 3.5 cm fitted with good q المائية و Velcro & Press button well fitted with super cop المائية المائ	lade of Nylon 6-6 15.5 cm open and lower side 11.5 cm clesed)	superior quality of velocing and pressint of pouch) to be well fitted with super cop belt.	6-6 S.	lower portion	rant side for closing flap and ritted with 02 Nos press button. middle of inside made of Nylan 6-6		ustment facility &	<u>les:-</u>
Dough Manna 17 (SSB Member 6		Icro & Press button	;ed)	superior quality of velocing and press button at end.(size of Velore nt of pouch) o be well fitted with super copibet.			02 Nos press button.	quality of Veloro and prace	height adjustment facility & closing flap must have	

1	CF.,
	35
	N ., 1





Comfortable to wear and all accessories should be fitted with the belt and detachable	Comfortable to wear	Wearing	5
soap	Easy to clean with mild	Cleaning	ω
iv) All Pouches to be well fitted with super cop belt.	Nylon 6-6		
of iii)All pouches Closing/Opening flap fitted with superior quality of Velcro and press button	any advanced variant		
6-6 or ii)All Pouches and belt should be machine stitched with rylon thread	belt be made of Nylon 6-6 or	accessories	
ver $ \cos $ i)All the pouches of super cop belt be made of Nylon 6-6.		Material of	တ
	by superior quality of veloro		
oported j	tich locking system supported		
e twin	Closing flap must have		
	15cmsx4.5cms		
flap	13cmsx15cms, pouch		
: Dual magazine pouch to be well fitted with super cop beit.	with specification		
n pistol Weight - 70 gms ± 05 gms	browning & Glock 9 mm		
9mm Size - 14 x 7 x 4 cms	magazines of Pistol	pouch	
the Dual magazine pouch Made of Nylon 6-6	capable of holding	Dual magazine	7
Torch pouch to be well fitted with super cop belt.			
Weight $-30 \text{ gms} \pm 05 \text{ gms}$			
	-		
ystem Size - length - 21 cms	flap must have locking system		
Closing Torch pouch Made of Nylon 6-6	Ring Diameter 4 cm, Closing	Torch pouch	6
Self locking handcuff pouch to be well fitted with super cop belt.			i :
Weight $-35 \text{ gms} \pm 05 \text{ gms}$			
Size 12 x 12 x 5 cms		Handcuff pouch	
Con locality regression product induction by for or or			

specification and sketch have been attached for better understanding.

(K. S. Ary 22/17) (Dr. Deena Chajumdar) Scientist-D (D.S. Negj) Condu-Assam Rifles (3)1738 (10:05) J.V. (distrib.) Niember 12 Member 11 Members 10 ((Manjunath) BPRKD Member 9

DIGP(Prav& Acets)
Member 2 Kečma Dhundia) NSG Member 8

TC.R.A

RALITOR Member / OKSighDC

Member -6

(Upondra Kuhaur)Dic Chairman

Appendix-"B"

TRAIL DIRECTIVE OF SUPER COP BELT WITH POUCHES & ACCESSORIES

	!	N S S
N. Sam Visamber Member	N. F. 5	. i.i.
To NO	Length of belt Buckie of belt	Nomenclature Weight of belt Thickness
Accorded variant of Nylon 6-6 or any 1) The advanced variant of Nylon 6-5 wover filame particular of Nylon 6-6 or any 1) The Nylon 6-5 wover filame particular of Nylon 6-5 wover filame particular	2.23 IIICH ± 5 mm 155 cm ± 10 % Rugged plastic buckle with double locking system and easy to operate with Having tensile strength not less than 200kg. the thickness of the buckle should less than 20 mm.	Approved QRs of MHA 550 gm ± 20 gms (with Accessories) Not less than 4.5 mm
		Proposed QRs of subgroup Belt 4.5 mm ± 0.5 mm
wover, plain weave using a needle form. For guidance following hylon filament yarns may be used for the manufacture of Nylon webbing: Particulars Resultant Genier Genier Tenacity of single ply	1.5 cm ± 0.2 cm > 155 cm (Not less than) > 155 cm (Not less than) i) Rugged plastic buckle with locking both side & Centre. ii) Easy to operate iii) Having breaking strength not less than 150kg. iv) Thickness 18 mm ± 4mm v) Width: 6.5 cm ± 0.5 cm(According to belt width) vi)Rugged plastic loops size 6y1 cm(According to belt width)	<260 gms (Not more than)
rom 100% Nylon 6-6 webbing or double gedle loam. For guidance following Nylon the manufacture of Nylon webbing: ant denier of Tenacity of single ply Approx.) 5.0 5.0 quality Velcro as per length and width of the belt plastic or any suitable material kness approx 1 mm; be machine stitched with hylon under flap fitted with superior quality of relcro ze of Velcro Male and female as per length and female as per length site of relcro as per length site of relcro as per length site. (A.K. Singh) DYC NSC NSC NSC NSC NSC NSC NSC NSC NSC NS	ntre.	e than)
NABL lab test certificate/report is to be given by the CEM. Is to be given by the CEM. In the man the common of	ii)To be demonstrated by the firm and physically checked on the ground by the BOC	i) NABL Lab test certificate\report is to be given by the OEM

(K.S./Aury.) 2-FC (Dr. Deepi Assam Rifles Member 8 (Sitaram) A/C (P.R. D (TBP Member 12 Member 11	Baton pouch	ı Ā.	8 Pistol Holster	7. Colour
Majumdari Scientisi-D (EDIPAS lember 4 Member 5 (Basana Gausser) A/C (Basana Gausser) Members 10	Size 15x5x5 cms ± 10 % Closing flap must have lock system	set Radio set Walkie-talkie pouch with stretchable elastic flap/band	Universal Pistol Holster with height adjustment facility Closing flap must have locking system	Black / RAF print
Vegi) (ound) (Seema Dhindia) HERAI Number - S Numbe	Made of Nyion 6-6 Length - 28 cm (Upper side 15.5 cm ope closed) Width - 07 cm, Circumference - 15 cm ± 1 cm, Closing/opering strap size 27cm × 3.5 cm fi Velcro & Press button Weight - 50 gms ± 05 gms Extendable baton pouch to be well fitted v	alkie pouch: r width - 7 cms at the top of £ 05 gms. talkie pouch	Universal Pistol Holster with height adjustment facility & closing flap must have locking system: Made of Nylon 6-6. Length -19 cms at right side and 12 cm at left side, Width -13cms Open on Top and 5 cm at bottom Nylon strap/Flap closing/opening size 18 x 2.5 cm fitted with superior quality of Velcro and press button at end. Velcro size 7x5 cms fitted on the front side for closing flap and fitted with 02 Nos press button. Belt loop size 11 cms fitted on the middle of inside made of Nylon 6-6 1 cms outer line of nylon strip 3 cms Nylon 6-6 should be fitted at top and lower portion Weight - 70 gms ± 10 gms Pistol Holster to be well fitted with super con belt	6 Black or CRPF/RAF disruptive print
(K.S. Bhantiari) (A.S.	de 15.5 cm open and lower side 12.5 cm cm, 27cm × 3.5 cm fitted with good quality of 0 be well fitted with super cop belt.	made of Nylon 6-6 s, breadth – 6 cms. the right side of the pouch to be well fitted with super cop belt.	neight adjustment facility & closing: 12 cm at left side, 5 cm at bottom size 18 x 2.5 cm fitted with superior at end. e front side for closing flap and fitted middle of inside made of Nylon 6-6 at top and lower portion with super con belt	
Charman Cha	00	To be physically measured on ground using weighing machine an Vermeer caliper and scale by the BOO.	the ground by the BOO To be physically measured on ground using weighing machine an Vermeer caliper and scale by the BOO.	To be physically checked on

K.S. Nice) 2470 Assam Rifles Normal (Snaram) A/C (Trap Atombo 12	у <u>-</u> д (Л		Ź Þ	D =	
7 (C)	Material of accesories	pual magazine pouch	Torch pouch	Self locking Han	-
Scientiado (RAS NO) Tos KAI Nonher (Basant Caur) A/C BST tembers 10		capable of holding magazines of Pistol browning & Glock 9 mm with specification 15cms/15cms, pouch 15cms/4.5cms Closing flap must have tich locking system supply superior quality of yeld	Ring Diameter 4 cm, Clos flap must have locking syste	System Handcuff	
Member 8 Member 8	i)All the pouches of super cop bell be made of Mylon 6-6. of ii)All Pouches and belt should be madiana stitched with hylon thread. iii)All pouches Closing/Opening flap fitted with superior quality of Velcro and press hatten at end.(size of Velcro Male and Gemale as per requirement of pouch) All Pouches to be well fitted with supercop belt.	Size = 14 x 7 x 4 cms Size = 16 pt Size = 16 pt	Made of Nylon 6- Size – length – 2: Dia – 6 cms Weight – 30 gms	lock Made of Nylon 6-6	7
(K. Durga Pendin) Do (Perf Charmon (Hipendra Kuman))/(SSB Member 6	de of NABL lab lest certificate/report is to be tched given by the OEM. with with per per belt.	do	clo	To be physically measured on ground using weighing machine an Vermeer caliper and scale by the BOO.	

(3)

(Sitaram) A/C	K.S. Way 2-1/C Assam Rifles Member 5	17. Wearing	16. Cleaning	
(P.R. Olmakar) A/C	K.S. Alenber 5 Assam Rifles Member 5 Member 4	9	ng	
A/C (Basant Gaur)/A/C	~ ·	Comfortable to wear	Easy to clean with mild water	(
/C (Manjunath)	D.S. Negi) Comdt. 103 RAF Member - 2		soap	
(R.S.Dangi) Sqn. Cdr	(Seema Dhundia) DIGP(Prov&Accts) Member 2	Comfortable to wear and all acces fitted with the belt and detachable.	Easy to clean with mild soap water	
IAAK Singin D/C	(K.SBhendari) IGRAF Member	wear and all accessories should be belt and detachable.	vater	
(Upendra Kumar)D/C	(K. Durga Pipsad) IPS DGTRP# Chairman	do	To be physically checked on the ground by the BOO	A 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1

SUPER COP BELT

Theoght: >155 cm (Not less than)

2 Width: 5.5 (m ± 0.2 cm

3 Thickness . 4.5 inm±0.5 mm

4. Rugged Plastic Loops size 6 x 1 Cm

Buckle : made of Rugged plastic. Thickness 18 mm £4 mm & Width - 6.5 cm ± 0.5 cm

6. Weight: <260gms (Not more than)


2. Colour : Black or CRPF/RAF discontive pilot

195


PISTOL HOLSTER

, ale

WALKE TALKIE POUCH



EXTENDABLE BATON POUCH



De Palm

Holywood Hard

GLOVE POUCH


– 4 CIVI –

HAND CUFF POUCH

- 5 C/VI

John Jambar

TORCH POUCH



DUAL MAGAZINE POUCH

• 4 Civi

14 CM