

26, Man Singh Road, Jaisalmer House,  
New Delhi, 21.7.2009

To

The DGs: Assam Rifles/BSF/CISF/CRPF/ITBP/NSG/SSB/BPR&D

Subject:- QRs/ Technical Specifications-regarding

The QRs/ Technical Specifications of the following security related items as per Annexure have been accepted by the Competent Authority in MHA.

1. ✓ Tactical Ballistic Shield- Annexure 'A' ✓
2. ✓ ~~Technical Training Equipment (Pogal Set)~~ Annexure 'B'
3. ✓ Climbing Device (Ascender)- Annexure 'C'
4. Fabric for Flame Resistant Overall- Annexure 'D'
5. ✓ EOD Response Vehicle- Annexure 'E'
6. ✓ Digital Compass- Annexure 'F'
7. ✓ Knee and Elbow Pads- Annexure 'G'
8. ✓ Protective Eye Goggles- Annexure 'H'
9. ✓ Ghilli Suits- Annexure 'I' ✓

2. Henceforth, all the CPMFs should procure the above items required by them strictly as per the laid down Technical Specifications/QRs.

21/7/09  
(R.S.Sharma)  
Director (Prov)

Copy to:-

DD(Procurement),MHA

Copy for information to:-

PS to JS(PM),MHA

Issued.  
21/7/09

QRs OF ELECTRICAL FIRING EQUIPMENT (POGAL SET)

1	It should be able to fire minimum 15 detonators simultaneously.
2	It should have the capacity to fire with EI electric cable from a distance of minimum 200 mtr with wire and wireless detonation capability.
3	It should be light in weight and portable to carry.
4	There should be facility to check the continuity of the cable.
5	The initiation system should have a service life of minimum five years.
6	It should be water proof.
7	It should be robust to rough handling and take on the impact of a drop on a concrete surface from 1 meter height without damaging its capabilities.
8	It should be hermetically sealed and provide protection against EMI and EMC.