

66004
7035

16 JUL 2014

No. IV-17018/3/07-Prov-I - 5068

भारत सरकार/Government of India

गृह मंत्रालय/Ministry of Home Affairs

पुलिस आधुनिकीकरण प्रभाग /Police Modernization Division

संभरण-I डेस्क /Prov.I Desk

DSG
14/7/14
16/7/14

26, Man Singh Road, Jaisalmer House
New Delhi, Dated : 11 July, 2014

To,

DsG : AR (through LOAR), BSF, CISF, CRPF, ITBP, SSB, NSG & BPR&D.

Subject : Trial Directives for Telescopic Prodder.

The Trial Directives in respect of Telescopic Prodder as per the Annexure have been accepted by the Competent Authority in MHA.

2. Henceforth, all the CAPFs should procure the above item required by them strictly as per the laid down Technical Specifications/QRs.

Yours faithfully,

(R. K. Soni)
Section Officer (Prov-I)
Tel : 23381278

Encl.: As above.

Copy to :-

SO(IT), MHA : with the request to host the Trial Directives (soft copy being sent through email) on the MHA website (under the page of Organizational Set up-Police Modernization Division- Qualitative Requirements) alongwith QRs for Telescopic Prodder.

म. नि. (संभरण) IC (Prov)	
उ. म. नि. (संभरण) DIO (Prov)	06/7
ग्रुप कमा. (संभरण) DIO (Prov)	
ग्रुप कमा. (पोल्यूरीमेंट) DIO (Prov)	
डिप्टी कमा. Secty. Genl.	
डिप्टी कमा. Secty. Genl.	
मुख्य लिपिक Head Clerk.	

DSG (Prov)

NGO Dy No. - V/2358
DATE - 15/7/14

PA to IC (Prov)
Dy No 242
Date 15/07/14

TRIAL DIRECTIVE OF THE TELESCOPIC PRODDER

411
18

Sl. No.	Qualitative requirements /Technical Specifications Telescopic Prodder as per MHA Letter No- IV-17018/3/2007-Prov.1 dt 24 Jan 08	Method	Remarks
1	The prodder should be sturdy and have a tapered tip to prevent damage from hard objects during insertion.	The BOO to physically check the quality of tip of prodder by inserting it in different types of soil i.e soft soil, graveled soil & rocky soil. The tip of prodder should not get broken/bent/blunted.	
2	Length should be of the order of :- a) Short assembled - 500mm (±10%) b) Long assembled - 1200mm (±10%)	The BOO to physically check min/max required length.	
3	The prodder should be made of non- corrosive material or a coating applied to prevent corrosion.	Under taking by the company would be the acceptance criteria.	The BOO to check the
4	Hand grip should be made of non- conducting material.	-do-	certificates submitted.
5	Light weight (Less than 1.5Kgs)	The BOO to physically check the weight of the equipment in operational condition (including LED Torch however excluding the carrying case/webbing harness)	
6	It should have LED torch fitted with rechargeable/dry battery for night viewing.	To be physically checked by the BOO.	
7	Miscellaneous. The firm should be able to provide the following, as applicable, along with the equipment. a) User's Hand Book and Technical manual giving full description of the item.	-do-	

Ashok
(Ashok Ashok, DC, CRPF)
Dr. M. M. Choudhury
Dr. M. M. Choudhury
Dr. S. P.

A. K. Sharma
(A. K. SHUKLA AR CISP)
Raman Kumar
CAPT RAMAN KUMAR SI SAC, HSY

Singh
25/12/14
SANSAR SINGH 2IC BSE.
Raj
Capt R S Mehla
BD Unit, NSG
Alon

Narain
Maj J B Sharma JC (F&C)
Rajendra
(R S Bhadani)
MAJ
FC (WES), MP NSG
Manoj
Maj Kishan Jain
SC (WES), MP NSG

APPROVED / NOT APPROVED

J N Choudhury
(J N Choudhury)
DG, NSG