U.II.1/2012-13-Prov-Clo Government of India/Bharat Sarkar Ministry of Home Affairs/Grih Mantralaya P.M. Division, Prov Desk

> 26, Man Singh Road, Jaisalmer House, New Delhi, dated. 284, January'2013

To,

DsG: AR/BSF/CRPF/CISF/ITBP/SSB/NSG & BPR&D

Subject:- QRs/Specification of Rucksack (30 Ltrs. Capacity).

The QRs/Specification in respect of Rucksack (30 Ltrs. Capacity) as per Annexure have been accepted by the Competent Authority in MHA.

2. Henceforth, all the CAPFs should procure the above items required by them strictly as per the laid down Technical Specifications/QRs.

Encl: As above

Yours faithfully,

(Smt. S.B. Nanda) Under Secretary to the Govt. of India

Copy forwarded for necessary action to:-

(i) Director, NIC, MHA : It is requested to host the QRs (soft copy attached) on the MHA website (under the page of Organisation Setup Police Modernisation Division- Qualitative Requirement).

Copy to : Director (Procurement), MHA Copy for information to : PS to JS(PM)

BOARD PROCEEDINGS

Board of Officers

•

•

Assembled at

•

On

Proceeding of

Directorate General, CRPF, New Delhi.

12/09/2012

By the order of

DG, CRPF letter No.U-II-14/2012-13- PROV-CLO Dated 12/09/2012.

For the purpose of

For framing of QRs / Specification \ Rucksack 30 Ltrs capacity.

Pursuant to the CRPF letter No. U-II-14/2012-13- PROV-CLO dated 12/09/2012, a board of Officers comprising following authorities of CAPFs was assembled in the Conference Hall of Dte. CRPF, New Delhi on 14/9/2012 to finalise QRs/Specification of the Rucksasck 30 Ltrs capacity. The technical parameters of the Rucksack are given below :-

S1 No.	Parameter	Requirements
1.	Туре	Top loader with detachable Pack
2.	Compartments	One bottom compartment, One top compartment with central zip and draw cord and skirting, top lid with pocket & slide compartments.
		Provision, for carriage of a water bottle of 1 Ltr capacity.
3.		 Top Compression Strap. Side Compression Strap. Front Compression Strap. Adjustable lid closure. Adjustable back system with top and bottom load adjusters. Side waist belt adjusters. Padded and S shaped shoulder straps with sternum strap Padded with curved waist belt. Dimensions of pockets - (Right side pocket- 38 x 10 x 9 cms, Front pocket -51x26x9 cms, Main compartment-60x35x23 cms, Upper Left side pocket- 21x10x5cms, Lower left side pocket- 17x10x5cms). Main compartment divider can be released to create one large compartment. Two 25mm Internal Aluminum (two strips)

	4.	Fabrics used	Nylon 6.6 material which is highly abrasive resistant and lighter than web
	5.	Webbing	Nylon tapes (Nylon six HT Filament yarn)
	6.	Volume (approx)	Minimum 30 litres.
	7.	Extras	Attached rain fly with locking loops

nÆ.

The above said QR/specification was published in CRPF website. Three firms have responded to the expression of interest and confirmed the specification.

