





New Delhi, Dated 03.04. 2006

The DGs: Assam Rifles/BSF/CISF/CRPF/ITBP/NSG/SSB/BPR&D.

Subject:

QRs/Specifications Weaponry/Security Finalization for **Equipments**

The Sub-Group constituted by MHA vide Office Memorandum No. IV.17017/18/2001-Prov.I dated 5-7-2002 for laying down QRs/specifications of various items/equipments has since submitted QRs in respect of the following items:-

> SYNTHESIZED SIGNAL GENERATORS (a)

SPECTRUM ANALYSER (b)

MODULATION METER (c)

INSULATION TESTER (d)

BROAD BAND WIRELESS SOLUTION (e)

These recommendations have been accepted by MHA. The QRs finalized by the Sub-Group and accepted by MHA in respect of the above equipments are enclosed herewith.

Henceforth, all the CPMFs should procure the above items required by them to meet their operational needs strictly as per the laid down QRs/specifications.

Yours faithfully,

(Alok Mukhopadhyay) Under Secretary(Prov.I)

Copy to : DD(Procurement), MHA

Copy for information to:

PS to JS(PM), MHA

Dir(Prov), MHA

Display

3.5 Digit LCD display

Zero adjustment:

Automatic

Readings

Accurate & Immediate

Low Battery indication- required. Orver range indication- required

Test Voltage 500V,1000V,2000V, 2500V, 5000 V DC

Accuracy

(Test Voltage) : ±10%

Output Voltage: 90% to 110% of selected test voltage -:

Resistance Range

 $0-20000~M\Omega$

Short Circuit Current <=1.5 mA

Accuracy(Resistance):

 $0 - 10000 \,\mathrm{M}\Omega \,\pm 5\% + 8 \,\mathrm{digit}$

Withstand voltage

AC 2KV 50 Hz for Minimum 2 minutes.

Insulation Resistance >500 M Ω

Diménsions

LX W X H:-

<175 x 115 x 55 mm

Weight with battery :- < 5 Kg.

Warranty:-

1 Year or, more.

Accessories:

High Voltage Probes

One set of Earth, Line & Guard Leads.

Instruction Manual

Carrying case

Calibration Certificate

(Kamalesh Deka)

Inspector General(Comn), BSF

(Brig. M.K.Gupta)

Dy.Inspector General(Comn),NSG

(B.B. Lal)

Deputy Director(Tech), I.B.

(S.K.Jindal)

Scientist 'F' D.R.D.O.

(K.C.Agnihotri)

Deputy Director(Eqpt), DCPW

-(J.S.Bhandari)

Assistant Commandant(Tele), SSB