

Directorate General CRPF
Block No.1, cgo Complex, New Delhi-110003

Govt. of India/Ministry of Home Affairs
(Phone/Fax-011-24360155)
E-mail:digprov@crpf.gov.in)

No. U.II-98(Spec)/2015-16-Prov-(G/Sheet)-14 01-01-2025

Subject : **Corrigendum in the Title of Light weight Ground Sheet for CRPF/CoBRA**

Please refer to MHA letter number 21011/3/2010-Prov-I dated 10/03/2010, vide which QRs/Specifications of Light weight Ground Sheet was accepted by the Competent authority and uploaded on the website of MHA and GeM portal.

2. Further, it is intimated that the item was authorized by MHA as “Light Weight Ground Sheet (TPO Coated)” in lieu of Ground Sheet MK-XII vide their letter No. U.II-523/2019-20-Prov(Clo)-DA.6/418 dated 01/12/2021.

3. Corrigendum in the Title of Light weight Ground Sheet is as under: -

| FOR | READ |
|---|--|
| Light weight Ground Sheet | Light Weight Ground Sheet (TPO coated) |
| MHA URL - https://www.mha.gov.in/sites/default/files/2022-09/Lightweightgroundsheet_01072021%5B1%5D.pdf | |
| CRPF URL- https://crpf.gov.in/writereaddata/images/pdf/19012019.pdf | |

01-01-2025
DIG

No. U.II-98(Spec)/2015-16-Prov-(G/Sheet)-14 01-01-2025

Copy forwarded to:-

1. SO (IT), North Block-with request to upload Light Weight Ground Sheet TPO coated against the approved QRs/Specification of Light weight Ground Sheet for CRPF/CoBRA on MHA Website in the same path (e-mail ID : soit@nic.in).

2. **Shri,Prakash Mirani, ACEO (GeM) Government of India, Ministry of Commerce & Industry, Government e-Marketplace, Jeevan Tara Building, 5-Parliament Street, New Delhi-110001** with request to upload Light Weight Ground Sheet TPO coated against the approved QRs/Specification of Light weight Ground Sheet for CRPF/CoBRA vide MHA letter No. 21011/3/2010-Prov-I dated 10/03/2010, along with this corrigendum on GeM Portal. (**E-Mail aceo1-gem@gem.gov.in**)

01-01-2025
DIG