

फौर व्हील्ड डे ऐंड नाइट सरवेलन्स रोबोट (FOUR WHEELED DAY & NIGHT SURVEILLANCE ROBOT) के परिशोधित गुणात्मक आवश्यकता (क्यूआर) और परीक्षण निर्देशों (टीडी) के मसौदे को गृह मंत्रालय की वेबसाइट पर डालना

1. कृपया गृह मंत्रालय, पीएम डिविजन के पत्र सं. IV-24011/12/2011-Prov.I दिनांक 05 अक्टूबर 2016, पत्र सं. IV-24011/12/2011-Prov.I दिनांक 13 जून, 2012 और पत्र सं. 11012/02/2009-Fin-I/Prov-I-17 दिनांक 02 जनवरी, 2018 का संदर्भ लें।
2. फौर व्हील्ड डे ऐंड नाइट सरवेलन्स रोबोट के परिशोधित गुणात्मक आवश्यकता (क्यूआर) और परीक्षण निर्देशों (टीडी) में संशोधन के लिए तकनीकी विशेषज्ञों के उप समूह की बैठक मुख्यालय राष्ट्रीय सुरक्षा गारद में दिनांक 21 जनवरी 2025 को 1100 बजे आयोजित हुई।
3. बैठक के दौरान उप समूह ने कहा कि विक्रेताओं की टिप्पणियों/सुझावों को आमंत्रित करने के लिए फौर व्हील्ड डे ऐंड नाइट सरवेलन्स रोबोट के परिशोधित गुणात्मक आवश्यकता (क्यूआर) और परीक्षण निर्देशों (टीडी) के मसौदे को 15 दिनों के लिए राष्ट्रीय सुरक्षा गारद के साथ-साथ गृह मंत्रालय की वेबसाइट पर डाला जाए।
4. पीएम डिविजन के उपर्युक्त संदर्भित पत्रों के अनुसार फौर व्हील्ड डे ऐंड नाइट सरवेलन्स रोबोट के परिशोधित गुणात्मक आवश्यकता (क्यूआर) और परीक्षण निर्देशों (टीडी) का मसौदा संलग्न परिशिष्ट के अनुसार गृह मंत्रालय की वेबसाइट पर डालने हेतु प्रिंटेड कॉपी तथा सॉफ्ट कॉपी में भेजा जा रहा है।


(अखिलेश कुमार तिवारी)
ग्रुप कमांडर (क्रय)
फोन: 011-25663100
ईमेल : gcproc@nsg.gov.in

संलग्नक : उपर्युक्त

अनुभाग अधिकारी, (IT Cell), एनआईसी, नार्थ ब्लॉक, नई दिल्ली
Email : soit@nic.in

संख्या: पी/604/24/389/ FWSR / संभरण (ऑर्डनेंस)/ एनएसजी/ दिनांक 04 फरवरी 2025

फौर व्हील्ड डे ऐंड नाइट सरवेलन्स रोबोट के परिशोधित गुणात्मक आवश्यकता (क्यूआर)/परीक्षण निर्देशों (टीडी) के मसौदे पर विक्रेताओं की टिप्पणियों का आमंत्रण

1. आपको सूचित किया जाता है कि फौर व्हील्ड डे ऐंड नाइट सरवेलन्स रोबोट के परिशोधित गुणात्मक आवश्यकता (क्यूआर) और परीक्षण निर्देशों (टीडी) के मसौदे पर फर्मों/विक्रेताओं की टिप्पणियां आमंत्रित है। सभी फर्मों से निवेदन है कि नीचे दिए गए प्रारूप में वे अपनी टिप्पणियां भरकर **OEM Certificate** सहित ई-मेल पता **scord@nsg.gov.in** या **gcproc@nsg.gov.in** पर भेजें।

गुणात्मक आवश्यकता (क्यूआर)	परीक्षण निर्देश (टीडी)	फर्म द्वारा टिप्पणियां

2. आपसे अनुरोध है कि वेबसाइट पर प्रदर्शित होने की तारीख से 15 दिनों के भीतर अपनी टिप्पणियां भेजें। उप समूह कमेटी की बैठक में उपर्युक्त उपकरण/हथियार के गुणात्मक आवश्यकताओं/परीक्षण निर्देशों को अंतिम रूप देने पर विचार किया जा रहा है।

अखिलेश कुमार तिवारी
5/2/25

(अखिलेश कुमार तिवारी)

ग्रुप कमांडर (क्रय)

फोन: 011-25663100

ईमेल : gcproc@nsg.gov.in

दिनांक : 4 फरवरी 2025

REVISED DRAFT QRS/TDS OF FOUR WHEELED DAY AND NIGHT SURVEILLANCE ROBOT

Ser No	<u>Qualitative Requirements</u>		<u>Trial Methodology</u>	
1.	(a)	Four Wheeled Day and Night Svl Robot should be a mini robot that enables easy maneuverability through a remote control and instantaneous video and audio reconnaissance within indoor or outdoor environments.	To be physically checked by BOO	
	(b)	Wireless Link with Control Unit The Robot should be able to receive Command and Control instructions from Control Unit and should be able to transmit audio and video svl data to control unit through a Wireless NLOS Link at a range of 80 mtr or better without any mesh topology in Non Line of Sight Environment and 250 mtr or better without any mesh topology in Line of Sight Environment.	To be physically checked by BOO	
	(c)	Robot should be able to self-right when overturned or alternatively the four wheeled robot should be able to carry out all its functions even when overturned.	To be physically checked by BOO	
2.	(a)	Weight of four wheeled robot (Excluding spare battery(s))	4.5 Kg or lesser	To be physically checked by BOO
	(b)	Should be able to sustain drops on concrete floor	2.5 mtr or more	Vendor to provide OEM/NABL/International accredited lab certificate. To be physically checked by BOO.
	(c)	Day and Night Camera- For video Surveillance		
	(i)	Day and night integrated cameras(with IR illumination (nonvisible)).		To be physically checked by BOO























Ser No	<u>Qualitative Requirements</u>		<u>Trial Methodology</u>
	(ii)	The cameras should provide 360 degree Field of View simultaneously. Resolution: - Day camera- Full HD 1920x1080p or better Night camera- 640x480p or better Digital zoom - 4x or better	To be physically checked by BOO. Vendor to provide OEM/NABL/ International accredited lab certificate. To be physically checked by BOO.
	(iii)	Cameras should offer tilt of +/- 40 Degrees or more.	To be physically checked by BOO
(d)	IR Illumination		
	(i)	360 degree simultaneous IR illumination should be provided for darkness.	To be physically checked by BOO
	(ii)	Range of IR Illumination 7.5 Meters or Higher	To be physically checked by BOO
(e)	Microphone - For Audio Surveillance Super sensitive omni-directional microphone with microphone sensitivity of 75 db or better.		To be physically checked by BOO

Ser No	Qualitative Requirements		Trial Methodology
(f)	Battery		
	(i)	Endurance 2.30 Hours or more for continuous operation	To be physically checked by BOO
	(ii)	aa) Spare Batteries should be provided as per user requirements. (User to specify) (ab) Minimum 500 charge cycles	Vendor to provide BIS certificate. To be physically checked by BOO
(g)	Drive and Speed		
	(i)	Drive 4 Wheel drive	To be physically checked by BOO
	(ii)	Tracks Suitable tracks to be provided for movement in rough terrain	To be physically checked by BOO
	(iii)	Speed Variable Speed during operation with Maximum Speed of 3.5 Km/Hr or more	To be physically checked by BOO
	(iv)	Maneuverability (i) The Robot should be maneuverable in a variety of rough terrain. Should be able to climb steps at least 200mm high. It should be able to climb two or more steps in continuation provided the width of each step is at least 400mm. (ii) The Robot should be able to overcome curves and should have small turnings radius (iii) Robot should be able to self-right when overturned or alternatively the four wheeled robot should be able to carry out all its functions even when overturned	To be physically checked by BOO

Arul
21/01/2025

Sam

Amy
21/1/25

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

Ser No	Qualitative Requirements		Trial Methodology
3.	Control Unit- Should receive and display audio and video reconnaissance data picked up by Robot and should also be able to control all features of robot.		To be physically checked by BOO
	(a)	Weight Less than 1.5 Kg	To be physically checked by BOO
	(b)	Screen Control Unit to have suitable 10 inches screen or better to display video being received.	To be physically checked by BOO
	(c)	Display The display should offer 360° FoV	To be physically checked by BOO
	(d)	Battery Suitable rechargeable battery to offer 180 minutes of endurance or better	To be physically checked by BOO
	(e)	Video Recording and replay Facility should be available in Control Unit with Minimum 500GB storage capacity.	To be physically checked by BOO
4.	Video Recorder Suitable inbuilt Video Recorder with Minimum 500GB storage capacity and Compatible with Windows OS 10 for data extraction		To be physically checked by BOO
5.	Battery Charger Suitable 110/220 V AC battery Chargers to charge the Robot and Control Unit batteries. Separate chargers required for Control Unit and Robot.		To be physically checked by BOO

Arul
21/11/23

Agay
21/11/23

Devi

pu

Arul

Batu

Arul

Arul

Arul

Arul

Ser No	Qualitative Requirements	Trial Methodology
6.	Portability and Storage The equipment to be provided in suitable pelican box for ease of carriage. In addition, vendor to provide suitable deployment sling and bag to carry robot and control unit during operations.	To be physically checked by BOO
7.	Maintenance Kit Suitable maintenance kit with recommended accessories to be provided to reduce Mean Time to Repair (MTTR).	To be physically checked by BOO
8.	Literature Operating and Technical literature for each discrete components of system should be in English language	To be physically checked by BOO
9.	Training Demonstration of one set of complete system with its full accessories should be arranged at buyers premises on NO cost NO commitment basis. In situ training of users for three day on operation, maintenance, fault finding and user level repairs.	Undertaking from the OEM for the training. Authenticity and Correctness of the undertaking to be submitted by BOO.
10.	Ruggedisation All the equipment should comply with Mil Std 810 and IP 67 or better	OEM to provide International/ National/NABL accredited lab certificate and the same will be physically checked by BOO.

Anil Kumar
27/10/2025
(Anil Rajput, DL (Tech))
BSF

S. S. Sahu

SI SSG
NSG

Abhimanyu
27/10/25
ABHIMANYU
YADAV, CPFF
AC

Ranjit
Maj Aniruddh Singh
SI SSG
NSG

Vishal Sharma
AR

Maj Sagar Singh
TC, BD unit, NSG

P. P. P.
(Pawan K. DC, ITBP)

Maj Anand Singh
& TSG, NSG

Anand Kumar
Anand Kumar, DC, CISE

H. C. H.
H. C. H. Rawat
A/C (WE)
HCC NSG